SureLab SL-D1000A

Wi-Fi® + Ethernet   Direct   Auto

The SureLab SL-D1000 Series of compact photo printers with duplex capability for flexible commercial production.

The series has been developed for photo shops, professional photographers and businesses that need to print high-quality photos and offer customers a wide range of products, including personalised photo books, cards and calendars. Businesses that could benefit, include: photography retail, event and photo box, stationery, hotels, cafés, bars and restaurants.

Productivity
The SL-D1000 Series features impressive print speeds of up to 385 pph[1] with no compromise on quality. Cartridges have been replaced by Epson's Integrated Ink Pack System ink bags, providing 25% more ink than their predecessor, resulting in fewer ink changes, reduced downtime and less waste. Productivity is also improved when used in combination with the optional duplex feeder (included in the SL-D1000A).

Flexibility
They're lightweight, with small footprints, and feature Wi-Fi/LAN connectivity. The user can make the best use of available space and place SL-D1000 Series printers almost anywhere, and integrate into an existing infrastructure. Thanks to the new heating system, noise level and power consumption are reduced, keeping the printing both customer and eco-friendly. They're also capable of printing on a wide range of media.

Quality
The UltraChrome D6r-S ink system provides superior image quality. The wide colour gamut delivers detailed images and realistic skin tones with smooth tonal gradations and deep, natural blacks with the superior gloss level of a dye-based printer.

Reliability
The SL-D1000 series has been developed to keep the user running for longer with product lifetimes of 400k prints (15x10cm). Also, with New Nozzle Detection Technology they're capable of identifying missing and misaligned nozzles.

KEY FEATURES

- **Duplex photo printing**
  Duplex feeder cassette (up to 100 A4 sheets) for auto-sheet production[2]
- **Impressive print speeds**
  Up to 385 pph[1] with no compromise on quality
- **Compact design**
  Small footprint, lightweight and easy to transport
- **Enhanced connectivity**
  Wi-Fi, LAN and USB
- **High-quality output**
  UltraChrome D6r-S ink system and wide colour gamut

EPSON®
EXCEED YOUR VISION

PRODUCT SPECIFICATIONS

PRINT TECHNOLOGY

Printing Method	Epson Micro Piezo drop-on-demand inkjet technology, High-performance print head technology designed for robust printing environments, Variable Sized Droplet Technology
Printing Resolution	1440x720dpi on Luster Paper, 1440x720dpi on Glossy Paper
Number of Printers included	1
Additional Parts	Duplex Feeder
Minimum Droplet Size	2,5 pl, With Variable-Sized Droplet Technology

INK

Ink Technology	Ultrachrome® D6r-S
Ink Set	6 colours
Available Colours	Black, Cyan, Light Cyan, Light Magenta, Magenta, Yellow
Ink volume per colour	250 ml

MEDIA

Supported Media	Glossy, Lustre
Media Handling	Auto Sheet Feeder (Simplex, Duplex), Borderless Print, Roll (Simplex), Single Sheet (Simplex, Auto Duplex)
No. Of Roll holders	1 pcs
Roll specs	Max. Roll Length 65 m
Supported media width	102mm (4-inch), 127mm (5-inch), 152mm (6-inch), 203mm (8-inch), 210mm (A4), 89mm (3.5-inch)
Print size (Roll)	8,9 cm x 5 cm to 21 cm x 100 cm
Print Size (Rear Single Sheet - Simplex)	8,9 cm x 14,8 cm to 21 cm x 100 cm
Print Size (Rear Single Sheet - Duplex)	8,9 cm x 14,8 cm to 21 cm x 29,7 cm
Print Size (Duplex Feeder)	8,9 cm x 14,8 cm to 21 cm x 29,7 cm
Max. Print width	210 mm
Print Margins	3mm all sides (Sheet media), Border defined by application, Borderless on supported sizes
Auto Cutter	Yes

GENERAL

Other Hardware	Auto Ink Detection, Auto Nozzle Check System, Control Panel, LCD Display
Environmental Conditions - Temperature	Operating: 10 - 35 °C (except Matte)
Environmental Conditions - Humidity	Operating 20 - 80 % (except Matte, no condensation), Storage 5 - 85 % (no condensation)
Power Consumption	Operating (approx.) 80 W Ready Mode (approx.) 14 W Sleep Mode (approx.) 1 W
Available Software	Printer Driver (standard bundling), Order Controller (optional), Printer Maintenance Utility (Standard Bundling), OrderController LE, Epson Cloud Solution Port
Noise Level	Operation (Roll): 50 dB (A) Ready Mode: 37 dB (A)
Product dimensions	460 x 438 x 424 mm (Width x Depth x Height)
Product weight	23,1 kg without media and ink
Controlpanel	Color, Diagonal 1 inch

OTHER

Warranty	12 months On-site service
	Optional warranty extension available

LOGISTICS INFORMATION

SKU	C11CJ33301AX
EAN code	8715946697734
Country of Origin	Philippines

EPSON®

1. 15x10cm prints at Standard Quality
2.
3. SureLab SL-D1000A model

Sala og þjónusta:

H. PÁLSSON
Gylfaflöt 30 • 112 Reykjavík
Sími: 577 7777 • www.hpalsson.is

EPSON